

FIG. 1





FIG. 2






Fig. 4




FIG. 5

RECEIVE SELECTION OF RECIPIENT USER AND REQUEST FOR INITIATION OF A PEAL-TIME COMMUNICATION SESSION
FROM THE SENDER USER

INITIATE COMMUNICATION SESSION AND LGZO DISPLAY MESSAGE WINDOW FOR THE SENDER USER

RESPONSIVE TO SELECTION OF CONTENT

SHARING BUTTON, RETRIEVE USER PROFILE 630

CONTAINING USER-GENERATED CONTENT

PRETERENCES AND MEDIA PRESETS

DYNAMICALLY GENERATE MULTIPLE LINKS
TO COMENT INFORMATION BASED ON ~ 640
THE CONTENT PREFERENCES, MEDIA PRESETS,
AND/OR FACILITY RECOMMENDATIONS

DISPLAY LINKS AND ASSOCIATED METADATA CSO

RESPONSIVE TO SELECTION OF A LINK,
AUTOMATICALLY INSERT THE LINK AND
ASSOCIATED METADATA INTO THE MESSAGE
WINDOW AND TRANSMIT THE REAL-TIME
MESSAGE CONTAINING THE SELECTED LINK
TO THE RECIPIENT USER.

